

SEALANT QUANTITY CHART

IDEAL FOR ALL PNEUMATIC TYRES ON SLOW MOVING COMMERCIAL VEHICLES



APPLICATION CHART

tel: +44 (0) 1202 724800 web: www.add-seal.co.uk/
 Sales Science Limited, Unit 22, Wessex Trade Centre, Ringwood Road, Poole, Dorset BH12 3PQ



Off Road Vehicles

Tyre Size	RIM	ml
4 INCH RIMS		
2.50	4	250
2.80	4	250
3.00	4	250
3.50	4	250
4.10 NHS	4	250
4.10 x 3.50	4	250
9 x 3.50	4	250
4.80 NHS	4	250
11 x 4.00	4	250
4.5 INCH RIMS		
14.50	4.5	750
5 INCH RIMS		
3.40 NHS	5	250
3.40 x 3.00	5	250
3.50	5	250
4.10	5	250
4.10 x 3.50	5	250
11 x 4.00	5	250
13 x 4.00	5	500
6 INCH RIMS		
3.00	6	250
3.50	6	250
4.00	6	250
4.00 x 3.25	6	250
4.10 x 3.50	6	250
4.10 NHS	6	250
5.30	6	250
6.90	6	500
8.00	6	500
120/70	6	250
12 x 10.00	6	500
13 x 5.00	6	250
13 x 6.00	6	250
13 x 6.50	6	500
14 x 4.00	6	250
14 x 8.00 NHS	6	500
15 x 6.00	6	500
16 x 4.50	6	500

Tyre Size	RIM	ml
6.5 INCH RIMS		
18.00	6.5	500
7 INCH RIMS		
4.50	7	250
4.80	7	250
8 INCH RIMS		
2.50	8	250
3.00	8	250
3.50	8	250
4.00	8	250
400	8	250
4.00 x 3.00	8	250
4.00 x 3.25	8	250
4.30	8	250
4.80 x 4.00	8	250
4.80 NHS	8	250
4.80 x 3.75	8	250
5.00	8	250
500	8	250
5.00 x 3.00	8	250
5.00 x 3.25	8	250
5.70 x 4.50	8	250
15 x 6.00	8	500
16 x 5.50	8	500
16 x 6.50	8	500
16 x 7.50	8	500
16.5 x 6.50	8	500
170/60	8	500
18 x 5.00	8	500
18 x 6.00	8	500
18 x 6.50	8	500
18 x 7.00	8	500
18 x 7.00 NHS	8	500
18 x 8.50	8	750
18 x 9.50	8	750
18 x 9.50 NHS	8	750
180/70	8	500
18 x 11.00	8	750
18.5 x 8.50	8	750

Tyre Size	RIM	ml
8 INCH RIMS		
18.5 x 9.50	8	750
20 x 7.00	8	500
20 x 8.00	8	750
20 x 10.00	8	750
20 x 11.00	8	750
20 x 12.00	8	1000
20.5 x 8.00	8	750
21 x 7.00	8	750
21 x 11.00	8	750
21 x 12.00	8	750
22 x 11.00	8	750
22.50 x 10.00	8	750
23 x 10.00 -12	8	750
25 x 12.00	8	750
8.5 INCH RIMS		
18	8.5	750
9 INCH RIMS		
4.00	9	250
4.80 NHS	9	250
5.50/85	9	500
6.00	9	500
6.00 x 4.00	9	500
6.90 NHS	9	500
20 x 11.00	9	750
21.20 x 7.00	9	500
21 x 8.00 NHS	9	750
21.8 x 6.00	9	750
21.9 x 7.00	9	750
21 x 9.00 NHS	9	750
21 x 11.00	9	750
21 x 12.00	9	750
23 x 10.00	9	750
25 x 12.00	9	750

APPLICATION CHART



tel: +44 (0) 1202 724800 web: www.add-seal.co.uk/
Sales Science Limited, Unit 22, Wessex Trade Centre, Ringwood Road, Poole, Dorset BH12 3PQ

Off Road Vehicles

Tyre Size	RIM	ml
10 INCH RIMS		
4.00	10	500
6.50	10	750
6.50 x 5.00	10	750
6.50 x 5.50	10	750
7.00/85	10	750
7.50 x 5.00	10	750
7.50 x 5.50	10	750
7.50 NHS	10	750
9.00 NHS	10	1000
18 x 9.50	10	750
18 x 11.00	10	750
20 x 5.00	10	750
20 x 8.00 NHS	10	750
20 x 10.00	10	750
20 x 11.00	10	750
20 x 12.00	10	750
20.5 x 8.00	10	750
21 x 7.00	10	750
22 x 8.00	10	750
22 x 10.00	10	750
22 x 11.00	10	750
23x9	10	750
23.8 x 6.50	10	750
23.9 x 6.50	10	750
27 x 9.00 NHS	10	1000
27 x 15.00	10	1500
225/70	10	1000
12 INCH RIMS		
23 x 8.5	12	750
24 x 12	12	1000
24 x 13	12	1000
27 x 13	12	1000
31 x 12.5	12	1500
3.50	12	500
4.00	12	500
4.50	12	500
4.80 NHS	12	500
5.00	12	500

Tyre Size	RIM	ml
12 INCH RIMS		
5.30	12	500
5.70	12	500
6.00	12	750
6.50	12	750
6.90	12	750
7.00	12	750
7.00 x 5.00	12	750
700	12	750
8.00	12	750
8.50	12	750
10.00	12	750
10.00 x 75	12	750
10.00 x 80	12	750
11.00 x 65	12	750
12.00	12	750
170.00/80	12	750
210.00/65	12	750
250/75	12	750
22 x 7.50	12	750
22.00 x 8.00	12	750
23.00 x 8.00	12	750
23.00 x 8.50	12	750
23.00 x 9.00	12	750
23.00 x 9.50	12	750
23.00 x 10.00	12	750
23.00 x 10.50	12	750
23.00 x 12.00	12	1000
23.5 x 8.50	12	750
24 x 12.00	12	1000
24.00 x 13.00	12	1000
26.00 x 12.00	12	1000
27.00 x 8.50	12	750
27.00 x 10.00	12	1000
27.00 x 10.50	12	1000
32.00 x 10.5	12	1000
13 INCH RIMS		
6.50	13	750
6.50 x 80	13	750

Tyre Size	RIM	ml
14 INCH RIMS		
4.00	14	500
4.50	14	500
5.00	14	750
6.00	14	750
7.00	14	750
8.50	14	1000
9.50	14	1000
11.00	14	1500
165.00	14	750
170 x 80	14	750
185.00	14	750
195.00	14	750
205.00	14	1000
15 INCH RIMS		
4.00	15	500
5.00	15	500
5.50	15	500
5.70	15	750
5.90	15	750
6.40	15	750
6.50 x 80	15	750
6.70	15	750
7.00	15	750
7.00 x 5.50	15	750
7.00 x 6.50	15	1000
7.50 x 15	15	1000
7.50 x 5.50	15	1250
7.60	15	1250
7.75	15	1500
8.25	15	1750
825	15	1750
8.50	15	1750
8.55	15	1750
9.00	15	1750
9.50	15	1750
10.00	15	1750
10.50	15	1750
10.00 x 75	15	1750

APPLICATION CHART



tel: +44 (0) 1202 724800 web: www.add-seal.co.uk/
 Sales Science Limited, Unit 22, Wessex Trade Centre, Ringwood Road, Poole, Dorset BH12 3PQ

Off Road Vehicles

Tyre Size	RIM	ml
15 INCH RIMS		
11.00	15	2000
11.50	15	2000
12.00	15	2250
12.50	15	2250
13.50	15	2500
225 x 75	15	1750
240 x 70	15	1750
25 x 7.50	15	1000
27 x 8.50	15	1000
27 x 9.50	15	1000
27 x 10.50	15	1250
28 x 9.00 NHS	15	1000
28 x 12.00 NHS	15	1500
28 x 13.00 NHS	15	1500
29 x 8.00 NHS	15	1000
29 x 12.50	15	1500
31.00 x 12.50	15	1500
31.00 x 13.50	15	1750
31.00 x 15.50	15	1750
32.00 x 12.00	15	1500
32.00 x 15.00	15	1750
32.00 x 12.10/9.75	15	1750
33.00 x 12.50	15	1750
35.00 x 15.00	15	2000
35.00 x 11 NHS	15	1750
15.3 INCH RIMS		
10.00	15.3	1750
10.00 x 75	15.3	1750
10.00 x 85	15.3	1750
10.50/85	15.3	1750
11.50	15.3	2000
11.50/80	15.3	2000
12.50/80	15.3	2250
16 INCH RIMS		
4.00	16	500
4.50	16	500
5.00	16	750
5.50	16	750

Tyre Size	RIM	ml
16 INCH RIMS		
6.00	16	750
6.50	16	750
6.50/4.50	16	750
7.00	16	1000
700	16	1000
7.20	16	1250
7.50	16	1250
7.50/5.50	16	1250
7.75	16	1500
8.00	16	1500
8.25	16	1500
8.30	16	1500
9.00	16	1750
9.50	16	1750
10.00	16	1750
10.00/75	16	1750
10.50/65	16	1750
11.00	16	2250
11.20	16	2250
11.50/70	16	2250
12.40	16	2500
12.50	16	2500
13.60	16	2750
13.00/75	16	2750
14.00/65	16	2750
205.00	16	1750
210/80	16	1750
230/80	16	1750
235/70	16	1750
250/80	16	1750
280/70	16	2000
9.00/70	16	1750
16.1 INCH RIMS		
13.50	16.1	2750
14.00	16.1	3000
14.50/75	16.1	3250
16.50	16.1	3750
18.40	16.1	4500

Tyre Size	RIM	ml
16.1 INCH RIMS		
19.00	16.1	4750
21.50	16.1	5500
16.5 INCH RIMS		
8.00	16.5	1500
8.75	16.5	1750
16.5 INCH RIMS		
9.50	16.5	1750
10.00	16.5	2000
12.00	16.5	2500
17 INCH RIMS		
7.00	17	1250
7.50	17	1500
7.50/6.00	17	1750
8.25	17	1750
10.00	17	2250
12.00	17	2750
15.00/55	17	3250
19.00/45	17	4750
17.5 INCH RIMS		
7.00	17.5	1500
8.00	17.5	1750
9.50	17.5	2250
10.00	17.5	2250
14.00	17.5	3250
18 INCH RIMS		
4.00	18	750
7.00	18	1500
7.50	18	1750
7.50 NHS	18	1750
8.00	18	2000
8.25	18	2000
10.00	18	2250
10.50	18	2500
10.50/80	18	2250
11.50/70	18	2500
12.00	18	2750
12.50/80	18	2750
13.00/65	18	3000

APPLICATION CHART



tel: +44 (0) 1202 724800 web: www.add-seal.co.uk/
 Sales Science Limited, Unit 22, Wessex Trade Centre, Ringwood Road, Poole, Dorset BH12 3PQ

Off Road Vehicles

Tyre Size	RIM	ml
18 INCH RIMS		
14.50/80	18	3500
15.00/70	18	3500
250/80	18	2250
16.5/80	18	3750
340/80	18	2500
19 INCH RIMS		
4.00	19	750
4.50	19	750
5.00	19	750
6.00	19	1000
7.00	19	1500
8.00	19	1750
19R x 400	19	3500
19R	19	3250
19.5 INCH RIMS		
8.00	19.5	2000
9.50	19.5	2250
10.00	19.5	2500
15.00	19.5	3750
16.50	19.5	4000
18.00	19.5	4750
19.50	19.5	5500
445/65	19.5	4750
20 INCH RIMS		
6.00	20	1250
6.50	20	1500
7.00	20	1500
7.50	20	1750
8.00	20	1750
8.25	20	2000
8.25/5.50	20	2000
9.00	20	2250
9.00/6.50	20	2250
9.50	20	2250
10.00	20	2500
10.00/6.50	20	2500
10.00/8.00	20	2750
10.50	20	2750

Tyre Size	RIM	ml
20 INCH RIMS		
20.00 x 70	20	5750
21.00 x 80	20	5750
44 x 18 NHS	20	5250
400/70	20	4250
405/70	20	4500
21 INCH RIMS		
6.00	21	1500
12.00	21	3250
14.00	21	4000
16.00	21	4750
18.00	21	5000
23.00	21	6000
22 INCH RIMS		
10.00	22	2750
11.00	22	3000
12.00	22	3500
22.5 INCH RIMS		
8.00	22.5	2250
9.00	22.5	2500
10.00	22.5	2750
11.00	22.5	3000
12.00	22.5	3500
12.50	22.5	3750
15.00	22.5	4500
15.50 x 70	22.5	4500
16.00	22.5	4750
16.50	22.5	5000
16.50 x 70	22.5	5000
18.00	22.5	5500
275/70	22.5	3000
315/70	22.5	3500
400/55	22.5	4750
500 x 60	22.5	5750
550 x 60	22.5	6000
23 INCH RIMS		
23.00	23	6750

Tyre Size	RIM	ml
24 INCH RIMS		
7.20	24	1500
7.50	24	1750
8.30	24	2250
9.00	24	2250
9.50 x 9	24	2500
10.00	24	3000
11.00	24	3250
24 INCH RIMS		
11.20 x 10	24	3250
11.50	24	3500
12.00	24	3500
12.00 x 8.00	24	3500
12.00 x 10.00	24	3500
12.40	24	3750
13.00	24	3750
13.60	24	3750
14.00	24	4000
14.00 x 8.00	24	4000
14.00 x 10.00	24	4000
14.90/13	24	4500
15.00	24	4750
15.50	24	4750
16.00	24	5000
16.50	24	5250
16.50/80	24	5500
16.50/85	24	5500
17.50	24	5750
18.00	24	6000
18.40	24	6250
19.40	24	6500
19.50	24	6500
21.00	24	6750
22.00	24	6750
320/70	24	3750
360/70	24	4250
380/70	24	4750
420/70	24	5500
24.00	24	7000

APPLICATION CHART



tel: +44 (0) 1202 724800 web: www.add-seal.co.uk/
 Sales Science Limited, Unit 22, Wessex Trade Centre, Ringwood Road, Poole, Dorset BH12 3PQ

Off Road Vehicles

Tyre Size	RIM	ml
25 INCH RIMS		
15.50	25	5250
17.50	25	6000
20.50	25	7250
23.50	25	8500
26.50	25	9500
29.50	25	10000
1600	25	5500
1800	25	6250
26 INCH RIMS		
12.40	26	3750
13.60	26	4250
14.90	26	4750
15.00	26	5000
16.90	26	5750
18.00	26	6250
18.40	26	6500
23.10	26	8000
28.00	26	9500
28.10	26	9750
480/70	26	6750
620/75	26	8000
26.5 INCH RIMS		
600/55	26.5	8500
750/55	26.5	9500
28 INCH RIMS		
8.30	28	2500
9.50	28	3000
11.20/78	28	3500
11.25	28	3750
12.40/78	28	3750
13.00	28	4000
13.60/78	28	4250
13.60 R	28	4500
14.00	28	4750
14.90/78	28	5000
15.00	28	5250
16.50/85	28	5500
16.90/14	28	5750

Tyre Size	RIM	ml
28 INCH RIMS		
17.00	28	6250
18.40	28	6500
320/70	28	4000
340/85	28	4500
360/70	28	4750
380/70	28	5000
420/70	28	5750
420/85	28	5750
480/70	28	7000
540/65	28	8000
29 INCH RIMS		
21.00	29	7750
24.00	29	9000
26.50	29	10500
29.50	29	12000
30.00/65	29	12500
32.25 R	29	13000
33.25 R	29	13000
30 INCH RIMS		
4.00	30	1500
6.00	30	1750
6.30	30	1750
7.20	30	2500
9.50	30	3000
14.90	30	5250
16.90	30	6250
17.00	30	6500
18.40	30	7000
21.00	30	8000
21.00/80	30	8000
23.1	30	8750
420/70	30	6250
480/70	30	7750
520/70	30	8000
540/65	30	8250
30.5 INCH RIMS		
600/65	30.5	9000

Tyre Size	RIM	ml
32 INCH RIMS		
8.30	32	2750
9.50	32	3250
12.40	32	4000
24.50	32	9750
30.00	32	13750
30.50	32	13750
800/65	32	11000
33 INCH RIMS		
18.00	33	8000
27.00	33	13000
30.00	33	14000
30.00 x 65 R	33	15000
33.50	33	15000
33.65 R	33	15000
35.00/65	33	15750
37.50	33	17000
34 INCH RIMS		
11.20	34	4500
14.00	34	5750
16.90/78	34	6750
18.40	34	8250
18.50	34	8500
20.80 R	34	9000
23.10 R	34	10000
480/70	34	8750
520/70	34	9000
710/70	34	11000
35 INCH RIMS		
21.00	35	9250
24.00	35	10500
29.50	35	15000
33.25	35	16000
37.25	35	18000
36 INCH RIMS		
4.00	36	1750
6.50	36	2000
7.20	36	2750

APPLICATION CHART



tel: +44 (0) 1202 724800 web: www.add-seal.co.uk/
 Sales Science Limited, Unit 22, Wessex Trade Centre, Ringwood Road, Poole, Dorset BH12 3PQ

Off Road Vehicles

Tyre Size	RIM	ml
36 INCH RIMS		
8.30	36	3250
9.50	36	3750
11.20	36	4000
12.40	36	4500
13.60/78	36	5500
13.90	36	5750
38 INCH RIMS		
4.00	38	1750
8.30	38	3500
9.50	38	4000
11.20	38	4250
12.40	38	4750
13.60	38	5750
14.00	38	6000
14.90	38	6000
15.50	38	6500
16.00	38	6750
480/70	38	9000
520/70	38	9500
580/70	38	11000
650/65	38	12000
750/65	38	14000
16.90/78	38	7000
16.90 R	38	7000
18.00	38	8500
18.40/78	38	8750
20.80	38	9500
39 INCH RIMS		
33.50	39	18000
37.50	39	20000
40.00/65	39	20000
40.50	39	22000
40.50/75	39	22000
45.00/65	39	24000
40 INCH RIMS		
7.20	40	3500

Tyre Size	RIM	ml
42 INCH RIMS		
8.30	42	3750
9.50	42	4000
12.40	42	5000
16.90	42	7500
18.40	42	9000
20.80	42	10500
620/70	42	12000
650/65	42	12500
43 INCH RIMS		
24.00	43	12000
44 INCH RIMS		
8.30	44	3750
9.50	44	4500
45 INCH RIMS		
45.00	45	25000
46 INCH RIMS		
12.40	46	6000
14.90 R	46	7750
18.40 R	46	10000
48 INCH RIMS		
9.50	48	5000
49 INCH RIMS		
18.00 R	49	11000
21.00	49	12000
24.00	49	14000
27.00	49	15000
31.00/80	49	17000
50 INCH RIMS		
17.00	50	10000
20.00	50	12000

Tyre Size	RIM	ml
51 INCH RIMS		
24.00	51	15000
27.00	51	16000
30.00	51	18000
33.00	51	21000
36.00	51	22000
37.50	51	24000
50.00	51	31000
55.00	51	36000
65.00	51	45000
56.5 INCH RIMS		
27.00	56.5	18000
30.00	56.5	20000
57 INCH RIMS		
37.00 R	57	26000
40.00	57	30000
50.00/90	57	40000
59.5 INCH RIMS		
33.00	59.5	25000
36.00	59.5	27000
39.00	59.5	32000

APPLICATION CHART



tel: +44 (0) 1202 724800 web: www.add-seal.co.uk/
 Sales Science Limited, Unit 22, Wessex Trade Centre, Ringwood Road, Poole, Dorset BH12 3PQ

Municipal (Off Road and On Road)

Tyre Size	RIM	ml
15 INCH RIMS		
12.00	15	500
17 INCH RIMS		
10.00	17	500
17.5 INCH RIMS		
245 / 70	17.5	1000
235 / 70	17.5	1000
18 INCH RIMS		
10.50	18	750
12.50	18	1000
19.5 INCH RIMS		
10.00	19.5	1000
19.5R	19.5	2250
245 / 70	19.5	1250
265 / 70	19.5	1250
20 INCH RIMS		
10.00	20	1400
13.00	20	2300
22 INCH RIMS		
11.00	22	2250
22.5 INCH RIMS		
275 / 70	22.5	1500
295 / 80	22.5	1500
305 / 60	22.5	1500
315 / 70	22.5	1750
385 / 65	22.5	1750
11	22.5	2500
24 INCH RIMS		
10	24	2250
14	24	3250

APPLICATION CHART



tel: +44 (0) 1202 724800 web: www.add-seal.co.uk/
 Sales Science Limited, Unit 22, Wessex Trade Centre, Ringwood Road, Poole, Dorset BH12 3PQ

Quads and All Terrain Vehicles (ATV's)

Tyre Size	RIM	ml
6 INCH RIMS		
4.10	6	250
13 x 5.00	6	250
145/7	6	250
15 x 6.00	6	250
15 x 7.00	6	250
90/65	6	250
7 INCH RIMS		
15.00 x 5.00	7	250
15.00 x 6.5	7	250
16.00 x 8.00	7	250
16.00 x 8.50	7	250
17.00 x 7.00	7	250
18.00 x 7.00	7	250
18.00 x 8.00	7	250
25.00 x 10.00	7	500
8 INCH RIMS		
15.00 x 5.00	8	250
16.00 x 6.00	8	250
16.00 x 6.50	8	250
16.00 x 7.00	8	250
16.00 x 7.50	8	250
17.00 x 7.00	8	250
18.00 x 5.50	8	250
18.00 x 7.00	8	250
18.00 x 8.50	8	500
18.00 x 9.00	8	500
18.00 x 9.50	8	500
18.00 x 10.00	8	500
18.00 x 11.00	8	500
19.00 x 7.00	8	500
19.00 x 8.00	8	500
19.00 x 9.00	8	500
19.00 x 9.50	8	500
20.00 x 7.00	8	500
20.00 x 9.00	8	500
20.00 x 9.50	8	500
20.00 x 10.00	8	500
20.00 x 11.00	8	500

Tyre Size	RIM	ml
8 INCH RIMS		
21.00 x 7.00	8	500
21.00 x 9.00	8	500
21.00 x 10.00	8	500
21.00 x 11.00	8	500
21.00 x 12.00	8	500
21.00 x 12.50	8	500
22.00 x 9.00	8	500
22.00 x 10.00	8	500
22.00 x 11.00	8	500
22.00 x 12.00	8	500
22.50 x 10.00	8	500
23.00 x 7.00	8	500
23.00 x 10.00	8	500
9 INCH RIMS		
18.00 x 10.00	9	500
18.00 x 10.50	9	500
18.00 x 11.00	9	500
19.00 x 10.00	9	500
20.00 x 7.00	9	250
20.00 x 10.00	9	500
20.00 x 11.00	9	500
21.00 x 7.00	9	250
21.00 x 8.00	9	500
21.00 x 9.00	9	500
21.00 x 11.00	9	500
21.00 x 12.50	9	500
22.00 x 7.00	9	250
22.00 x 8.00	9	500
22.00 x 10.00	9	500
22.00 x 11.00	9	500
22.00 x 12.00	9	500
23.00 x 11.00	9	500
23.00 x 12.00	9	500
24.00 x 11.00	9	500
25.00 x 11.00	9	500
25.00 x 12.00	9	500
25.00 x 12.50	9	750
25.00 x 13.00	9	750

Tyre Size	RIM	ml
10 INCH RIMS		
18.00 x 10.00	10	500
18.00 x 11.00	10	500
19.00 x 6.00	10	250
19.00 x 10.50	10	500
20.00 x 6.00	10	250
20.00 x 7.00	10	250
20.00 x 8.00	10	500
20.00 x 10.00	10	500
20.00 x 11.00	10	500
20.50 x 7.00	10	500
20.50 x 10.00	10	500
21.00 x 7.00	10	250
21.00 x 8.00	10	500
21.00 x 10.00	10	500
21.00 x 12.50	10	500
22.00 x 7.00	10	500
22.00 x 8.00	10	500
22.00 x 9.00	10	500
22.00 x 10.00	10	500
22.00 x 11.00	10	500
23.00 x 7.00	10	500
23.00 x 8.00	10	500
23.00 x 9.00	10	500
23.00 x 10.00	10	500
24.00 x 9.50	10	500
24.00 x 10.00	10	500
24.00 x 11.00	10	500
24.00 x 11.50	10	500
24.00 x 12.00	10	500
25.00 x 8.00	10	500
25.00 x 11.00	10	500
25.00 x 12.00	10	750
25.00 x 12.50	10	750

APPLICATION CHART

tel: +44 (0) 1202 724800 web: www.add-seal.co.uk/

Sales Science Limited, Unit 22, Wessex Trade Centre, Ringwood Road, Poole, Dorset BH12 3PQ

Quads and All Terrain Vehicles (ATV's)

Tyre Size	RIM	ml
11 INCH RIMS		
22.00 x 7.00	11	500
23.00 x 8.00	11	500
23.00 x 9.00	11	500
23.50 x 8.00	11	500
24.00 x 8.00	11	500
24.00 x 9.00	11	500
24.00 x 10.00	11	500
24.50 x 8.00	11	500
25.00 x 8.00	11	500
25.00 x 10.00	11	750
12 INCH RIMS		
20.00 x 10.00	12	500
22.00 x 7.00	12	500
22.00 x 10.00	12	500
23.00 x 8.00	12	500
23.00 x 10.00	12	500
23.00 x 10.50	12	500
24.00 x 8.00	12	500
24.00 x 9.00	12	500
25.00 x 8.00	12	500
25.00 x 10.00	12	750
25.00 x 11.00	12	750
25.00 x 12.50	12	750
26.00 x 8.00	12	500
26.00 x 9.00	12	500
26.00 x 10.00	12	750
26.00 x 10.50	12	750
26.00 x 12.00	12	750
26.50 x 14.00	12	500
27.00 x 9.00	12	750
27.00 x 10.00	12	750
27.00 x 12.00	12	750
28.00 x 9.00	12	750
28.00 x 11.00	12	750